

# SAFETY DATA SHEET

Kodak Polychrome Graphics  
A Subsidiary of Kodak

## 850 S plate finishing gum

### 1. Identification of the substance/preparation and of the company/undertaking

#### Identification of the substance or preparation

Product name : 850 S plate finishing gum      **Nr. SDS** : 50062  
 Synonyms : PCD 6284      **Date of issue** : 2006-08-28.  
 Catalogue number : 5271978; 5270533; 5270525; 5270517      **Version** : 4.2  
 Area of application : Industrial applications. Graphic Arts product. Plate gum

#### Company/undertaking identification

**Supplier** : Kodak Polychrome Graphics Europe S.A.  
 8, Avenue François Arago  
 Zone Industrielle BP 116  
 92164 Antony Cedex  
 France

**Emergency telephone number** :

**Emergency telephone number: Int. + 31.30.2748888.**  
**(Dutch National Poison Information Centre) Only for physicians and medical specialists in case of an accidental poisoning.**

**For other EHS Information** : Kodak Polychrome Graphics EHS-Affairs EU/AF/AS/AU  
 P.O. Box 56, 3750 GB Bunschoten, The Netherlands  
 Phone: Int. +31 33 299 88 80  
 Fax: Int. +31 33 299 88 89  
 E-mail: EHS-EU@kpgraphics.com

**Sale Rep** :  
 Kodak Polychrome Graphics Ltd.  
 Axis 1, Rhodes Way,  
 Watford Herts, WD2 4FD, Great Britain  
 Phone: +44 1923 23 66 66  
 Fax: +44 1923 24 47 14

### 2. Composition/information on ingredients

**Substance/preparation** : Preparation

Ingredient name	CAS number	%	EC number	Symbol / R-Phrases
Water	7732-18-5	70-100	231-791-2	Not classified.
Dextrin	9004-53-9	15-20	232-675-4	Not classified.
Boric acid	10043-35-3	1-5	233-139-2	Not classified.
Mixture of: 5-chloro-2-methyl-2H-isothiazol- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.0015-0.06		T; R23/24/25 C; R34 R43 N; R50/53

See section 16 for the full text of the R-phrases declared above

Within the present knowledge of the supplier, this product does not contain any other hazardous ingredients in quantities requiring reporting in this section, in accordance with EU regulations or National regulations.

\* Occupational exposure limit(s), if available, are listed in section 9.

### 3. Hazards identification

**Main hazards** : Irritant  
**Human health hazards** : May cause sensitization by skin contact.  
**Environmental hazards** : Not applicable.  
**Physical/chemical hazards** : Not applicable.  
**Classification** : R43

## 4. First aid measures

### First aid measures

- Inhalation** : Allow the victim to rest in a well-ventilated area. If irritation persists, get medical attention.
- Ingestion** : Do not induce vomiting. Have conscious person drink several glasses of water or milk. Get medical attention.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists, get medical attention. Wash contaminated clothing before reusing.
- Eye contact** : Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

See section 11 for more detailed information on health effects and symptoms.

## 5. Fire-fighting measures

### Extinguishing media

- Suitable** : Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.
- Not suitable** : None.
- Special exposure hazards** : No specific hazard.
- Hazardous thermal decomposition products** : These products are carbon oxides (CO, CO<sub>2</sub>).
- Special protective equipment for fire-fighters** : Be sure to use an approved/certified respirator or equivalent.

## 6. Accidental release measures

- Personal precautions** : Splash goggles. Lab coat. Nitrile gloves. In case of insufficient ventilation, wear suitable respiratory equipment.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Methods for cleaning up** : Absorb with an inert material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

## 7. Handling and storage

- Handling** : Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapors, spray or mists. Use with adequate ventilation. Wash thoroughly after handling.
- Storage** : Keep container tightly closed. Keep container in a cool, well-ventilated area. Prevent from freezing.
- Packaging materials**
- Recommended** : Use original container.

## 8. Exposure controls/personal protection

<u>Ingredient name</u>	<u>Occupational exposure limits</u>
<b>Europe</b> Boric acid	<b>ACGIH TLV (United States, 1/2006).</b> STEL: 6 mg/m <sup>3</sup> 15 minute/minutes. TWA: 2 mg/m <sup>3</sup> 8 hour/hours.
<b>United Kingdom (UK)</b>	

### Exposure controls

- Occupational exposure controls** : Ventilation is normally required when handling or using this product. Ensure that eyewash stations and safety showers are close to the workstation location.
- Hygiene measures** : Wash hands after handling compounds and before eating, smoking and using the lavatory and at the end of the day.
- Respiratory protection** : A respirator is not needed under normal and intended conditions of product use.

## 850 S plate finishing gum

- Hand protection** : Use chemical resistant gloves.  
In case of prolonged immersion or frequently repeated contact use gloves made of the materials:  
butyl rubber (thickness  $\geq$  0.36 mm, breakthrough time > 480 min),  
nitrile rubber (thickness  $\geq$  0.38 mm, breakthrough time > 480 min) or  
neoprene (thickness  $\geq$  0.65 mm, breakthrough time > 240 min).  
For intermittent splash protection corresponding gloves with breakthrough times > 60 min can be used.  
Avoid gloves made of: natural rubber.
- Eye protection** : Splash goggles.
- Skin protection** : Lab coat.

## 9. Physical and chemical properties

- Physical state** : Liquid.
- Color** : Yellow.
- Odor** : Odorless.
- pH** : 3.5 [Acidic.]
- Boiling point** : >100°C
- Melting point** : <0°C
- Specific gravity** : 1.051 (Water = 1)
- Vapor pressure** : 2.4 kPa (18 mm Hg) (at 20°C)
- Vapor density** : 0.6 (Air = 1)
- Flammability** : Non-flammable.
- Solubility** : Easily soluble in cold water
- VOC** : 7.2 (g/l).

## 10. Stability and reactivity

- Stability** : The product is stable.
- Conditions to avoid** : Not available.
- Materials to avoid** : Incompatible with strong oxidizing agents.
- Hazardous decomposition products** : These products are carbon oxides (CO, CO<sub>2</sub>).

## 11. Toxicological information

### Potential acute health effects

- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : May cause sensitization by skin contact. Skin inflammation is characterized by itching, scaling, reddening or, occasionally, blistering.
- Eye contact** : No known significant effects or critical hazards.

### Acute toxicity

<u>Ingredient name</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Boric acid	LD50	>3000 mg/kg	Oral	Rat
	LD50	>2000 mg/kg	Dermal	Rabbit
	LC50	>2 mg/l (4 hour/hours)	Inhalation	Rat
Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	LD50	53 mg/kg	Oral	Rat

### Potential chronic health effects

<u>Ingredient name</u>	<u>Carcinogenic effects</u>	<u>Mutagenic effects</u>	<u>Developmental toxicity</u>	<u>Impairs fertility</u>
------------------------	-----------------------------	--------------------------	-------------------------------	--------------------------

- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

## 850 S plate finishing gum

- Skin** : May cause sensitization by skin contact. Skin inflammation is characterized by itching, scaling, reddening or, occasionally, blistering.
- Other adverse effects** : Not available.

## 12. Ecological information

### Ecotoxicity data

<u>Ingredient name</u>	<u>Species</u>	<u>Period</u>	<u>Result</u>
Boric acid	Fish (LC50)	96 hour/hours	600 mg/l
	Daphnia (EC50)	48 hour/hours	226 mg/l

### Other ecological information

#### Persistence/degradability

<u>Ingredient name</u>	<u>BOD<sub>5</sub></u>	<u>COD</u>	<u>ThOD</u>
<u>Ingredient name</u>	<u>Aquatic half-life</u>	<u>Photolysis</u>	<u>Biodegradability</u>
<u>Ingredient name</u>	<u>LogP<sub>ow</sub></u>	<u>BCF</u>	<u>Potential</u>

- Mobility** : Not available.
- Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

- Methods of disposal** : Waste must be disposed of in accordance with federal, state and local environmental control regulations.
- Waste classification** : This product is listed as Hazardous by the EU Directive on hazardous waste. Dispose of according to all national and local applicable regulations.
- European waste catalogue (EWC)** : 09 01 99 + 15 01 10\*

## 14. Transport information

### International transport regulations

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
ADR/RID Class	Not regulated.					
IMDG Class	Not regulated.					
IATA-DGR Class	Not regulated.					

## 15. Regulatory information

### EU regulations

**Hazard symbol/symbols** :



Irritant

- R-Phrases** : R43- May cause sensitization by skin contact.
- S-Phrases** : S24- Avoid contact with skin.  
S37- Wear suitable gloves.
- Contains** : Mixture of: 5-chloro-2-methyl-2H-isothiazol- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

## 16. Other information

**Full text of R-phrases referred to in sections 2 and 3 - United Kingdom (UK)** : R23/24/25- Toxic by inhalation, in contact with skin and if swallowed.  
R34- Causes burns.  
R43- May cause sensitization by skin contact.  
R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Full text of classifications referred to in sections 2 and 3 - United Kingdom (UK)** : T - Toxic  
C - Corrosive  
N - Dangerous for the environment.

**Revision comments** : Section : 7; 8; 11; 12; 16

### History

**Date of printing** : 2007-05-02.

**Date of issue** : 2006-08-28.

**Date of previous issue** : 2004-10-26.

**Version** : 4.2

**Prepared by** : Kodak Polychrome Graphics, EHS-EU/AF/AS/AU, Bunschoten, NL

### Notice to reader

*To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

**FOR INDUSTRIAL USE ONLY**