


Brillia LH-PCE

Positive-working thermal CTP plate for long-run sheet and web offset printing

Brillia LH-PCE offers extended run lengths of up to 200,000 impressions or around 1,000,000 impressions when baked, combined with high sensitivity for maximum platesetter performance. Fast and simple processing together with the benefits of FUJIFILM's MultiGrain technology make for maximum printing efficiency.



- ▶ Extended run length of up to one million impressions (baked)
- ▶ 1-99% dot at 200 lpi
- ▶ FM-capable
- ▶ High sensitivity
- ▶ Fast and simple processing
- ▶ MultiGrain technology for faithful tone reproduction

Specifications

Brillia LH-PCE	
Print application	long-run commercial sheet-fed and web offset
Laser type	thermal LD 830 nm (800 – 850 nm)
Technology	processed
Sensitivity	120 – 150 mJ/cm ²
Resolution	200 lpi (1 – 99%)
FM screen compatible	yes, FM20
Gauges	0.15, 0.20, 0.30 and 0.40 mm
Safelight	white: 1 hour; UV cut: 2 hours; yellow: 12 hrs
Shelf life	2 years
Latent image	excellent after processing
Contrast	excellent
Developer / replenisher	FUJIFILM HD-P7 developer / replenisher
Bath life	up to 4 weeks or 1,000 m ²
Gum	FUJIFILM FN-6CWE
Run length* unbaked	200,000
Run length* baked	1,000,000
UV-ink characteristics (unbaked)	not recommended
UV-ink characteristics (baked)	good

*run lengths are always dependent on processing and press conditions

Please contact your local FUJIFILM partner for further information.

FUJIFILM

**FUJIFILM Deutschland
Niederlassung der
FUJIFILM Europe GmbH**
T +49 211 5089 255
grafische_systeme@fujifilm.de
www.fujifilm.de

FUJIFILM UK Ltd
T +44 1234 245 245
marketing.fgs@fujifilm.co.uk
www.fujifilm.co.uk/gs

**FUJIFILM Graphic Systems
France SAS**
T +33 1 64 76 71 00
commercial@fujigraphic.fr
www.fujifilmgraphic.fr

FUJIFILM Danmark A/S
T +45 45 66 22 44
fujifilm@fujifilm.dk
www.fujifilm.dk

FUJIFILM Italia S.r.l.
T +39 02 89 58 21
graphic.arts@fujifilm.it
www.fujifilm.it