



ABC CHEMICAL COMPANY
Chemicals for the International Printing Industry

SAFETY DATA SHEET MANCHEM PLATE GUM

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME MANCHEM PLATE GUM

APPLICATION For use as a gumming solution in the lithographic printing industry

SUPPLIER ABC CHEMICAL COMPANY MANUFACTURER Same as supplier
DEANFIELD WAY
LINK 59 BUSINESS PARK
CLITHEROE
LANCS
BB7 1QU
Tel: +44 (0)1200 420180
(09:00-17:00)
Fax: +44 (0)1200 426178
info@abcchem.com

2 HAZARDS IDENTIFICATION

May cause sensitisation by skin contact.

CLASSIFICATION R43.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6		55965-84-9	< 1	T;R23/24/25 C;R34 R43 N;R50/53
Solution of mono- and di-alkyl disulphonated diphenyloxide, disodium salt		119345-04-9	1-5%	Xi;R36. N;R51/53.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove affected person from source of contamination. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Wash thoroughly after dealing with a spillage. Absorb in vermiculite, dry sand or earth and place into containers. Runoff or release to sewer, waterway or ground is forbidden.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

MANCHEM PLATE GUM**STORAGE PRECAUTIONS**

Store in tightly closed original container in a dry, cool and well-ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION**PROTECTIVE EQUIPMENT****ENGINEERING MEASURES**

No particular ventilation requirements.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit.

HAND PROTECTION

Chemical resistant gloves required for prolonged or repeated contact.

EYE PROTECTION

Wear approved chemical safety goggles where eye exposure is reasonably probable.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. **DO NOT SMOKE IN WORK AREA!**

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	Light brown		
ODOUR	Mild (or faint).		
BOILING POINT (°C)	101 @ 760 mm Hg	RELATIVE DENSITY	1.07 @ 20
VOLATILE BY VOL. (%)	80.0	pH-VALUE, CONC. SOLUTION	3.0
FLASH POINT (°C)	N/A		

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS POLYMERISATION

Will not polymerise.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11 TOXICOLOGICAL INFORMATION**INGESTION**

May cause discomfort if swallowed.

SKIN CONTACT

May cause sensitisation by skin contact.

HEALTH WARNINGS

This substance is a moderate irritant.

MEDICAL SYMPTOMS

Irritation of eyes and mucous membranes. Skin irritation.

12 ECOLOGICAL INFORMATION

MANCHEM PLATE GUM**ECOTOXICITY**

Not known. The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment. The product contains a substance which is very toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment. However, this preparation has not been classified as hazardous to the environment using the conventional method calculation.

13 DISPOSAL CONSIDERATIONS**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION**GENERAL**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

15 REGULATORY INFORMATION**LABELLING**

Irritant

CONTAINS

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6

RISK PHRASES

R43 May cause sensitisation by skin contact.

SAFETY PHRASES

S24 Avoid contact with skin.

S37 Wear suitable gloves.

S60 This material and its container must be disposed of as hazardous waste.

EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

16 OTHER INFORMATION**INFORMATION SOURCES**

Croner's: Dangerous Substances. Croner's: Emergency Spillage Guide. Croner's: Emergency First Aid Guide. Croner's: Substances Hazardous to Health. Material Safety Data Sheet, Misc. manufacturers.

REVISION COMMENTS

Section 1 Updated Section 2 updated. Section 3 updated Section 12 updated. This safety data sheet supersedes all issues before 1 November 2007.

ISSUED BY

J Waterfield

REVISION DATE

December 07

REV. NO./REPL. SDS GENERATED 6 - July 02 / May 04 / Nov 06

DATE

December 07

MANCHEM PLATE GUM

RISK PHRASES IN FULL

R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R36	Irritating to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.